## In the Claims:

Amend claims 5, 7, 8, and 10, as follows:

1. (Previously Presented) A medical procedure for connecting a blood-conveying conduit to a blood vessel in a patient's body to provide blood flow outside of the blood vessel, the method comprising:

a selected location; and

forming an anastomosis between the blood-conveying conduit and the blood vessel at the selected location to provide blood flow in the blood-conveying conduit outside the blood vessel;

wherein creating said arteriotomy and forming said anastomosis are both performed while the selected location is covered by a substantially intact portion of the epidermis of the body.

- 2. (Original) The medical procedure according to claim 1 in which the blood vessel is the aorta.
- 3. (Original) The medical procedure of claim 2 in which the selected location is above the iliac arterial bifurcation of the aorta.
- 4. (Original) The medical procedure according to claim 2 further comprising:

positioning an end of the blood-conveying conduit outside the blood vessel and near the arteriotomy at the selected location; and

anastomosing the end portion of the blood-conveying conduit to the selected location.

5. (Currently Amended) A medical procedure for connecting a blood-conveying conduit to the aorta in a patient's body, the method comprising:

creating an arteriotomy in the aorta at a selected location;

positioning an <u>inflow</u> end of the blood-conveying conduit near the arteriotomy at the selected location via an initial entry at a location relative to a femoral artery below the inguinal ligament; and

anastomosing the end portion of the blood-conveying conduit and the aorta at the selected location to provide blood flow in the blood-conveying conduit outside of the aorta;

wherein creating said arteriotomy and forming said anastomosis are both performed while the selected location is covered by a substantially intact portion of the epidermis of the body.

6. (Previously Presented) A medical procedure for connecting a blood-conveying conduit to a blood vessel, the method comprising:

extravascularly creating an arteriotomy in the blood vessel at a selected location;

forming an anastomosis between the blood-conveying conduit and the blood vessel at the selected location; and

positioning a visualization device adjacent the selected location while creating said arteriotomy and forming said anastomosis.

7. (Currently Amended) A medical procedure for connecting a blood-conveying conduit to an aorta, the method comprising:

extravascularly positioning an end of an instrument having a lumen therethrough near a selected location along the aorta;

advancing an end portion of the blood-conveying conduit through the lumen of the instrument to the selected location adjacent the aorta; and

forming an anastomosis between said blood-conveying conduit and the aorta at the selected location.

8. (Currently Amended) The medical procedure according to claim 7 in which the instrument includes an endoscope, further comprising:

positioning an end of the endoscope near the selected location; and advancing an end position portion of the blood-conveying conduit through the lumen to the selected location.

9. (Original) A medical procedure for connecting a blood-conveying conduit to an aorta, the method comprising:

positioning an end of an endoscope having a lumen therethrough near a selected location along the aorta;

advancing an end portion of the blood-conveying conduit through the lumen of the endoscope to the selected location adjacent the blood vessel; and

forming an anastomosis between the said blood-conveying conduit and the aorta at the selected location;

wherein the endoscope is positioned via an initial entry at a location relative to a femoral artery below the inguinal ligament.

10. (Currently Amended) A medical procedure for connecting a blood-conveying conduit to a blood vessel, the method comprising:

advancing an end portion of the blood-conveying conduit to a selected location adjacent the blood vessel;

extravascularly positioning near a selected location along the blood vessel-an a distal end of an instrument having a lumen extending therethrough between distal and proximal ends thereof near a selected location along the blood vessel;

manipulating a surgical device extending through the lumen in the instrument to create an arteriotomy in the blood vessel at the selected location; and thereafter

forming an anastomosis between the blood-conveying conduit and the blood vessel at the selected location.

11. (Original) A method of bypassing a restriction in an artery of a mammal, the method comprising:

providing a graft having a body portion with a first end, a second end and a lumen therebetween;

forming a first aperture in a first artery;

forming a second aperture in a second artery distal of the restriction;

placing the graft between the first aperture in the first artery and the second aperture in the second artery;

inserting an expandable stent intravascularly from a location remote from the first aperture for positioning in the first artery at the location of the first aperture;

expanding the stent to connect the first end of the graft within the first artery; and

attaching the second end of the graft to the second aperture in the second artery.

12. (Original) The method of claim 11 wherein the first artery is the aorta.

- 13. (Original) The method of claim 11 wherein the second end of the graft is attached by suturing.
- 14. (Original) The method of claim 11 wherein expanding the stent comprises:

expanding the stent radially outward to lie against an interior wall of the first artery.